

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	236	generat\$3 with java with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:01
L2	38	1 and EJB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:40
L3	188	direct\$3 with (creat\$3 translat\$4 generat\$3) with (java C basic (object near2 language)) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:41
L4	199	direct\$3 with (creat\$3 translat\$4 generat\$3 convert\$3) with (java C basic (object near2 language)) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:43
L5	36	4 and (table with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:42
L6	3808	(creat\$3 translat\$4 generat\$3 convert\$3) with (java C basic (object near2 language)) with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:43
L7	448	6 and (source adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:43
L8	124	7 and (table with definition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:53

L9	12	8 and EJB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:58
L10	2	"5857197".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:05
L11	112	8 not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:29
L12	3	"6609013".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:09
L13	3	"6609133".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:09
L14	2	"6654954".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:30
S1	2	((enterprise with java with bean) OR EJB) with SQL).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 14:41
S2	4	((enterprise with java with bean) OR EJB) with SQL).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 14:03
S3	28	((enterprise with java with bean) OR EJB) with SQL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:04

S4	12	US-5878418-\$.DID. OR US-5701461-\$.DID. OR US-5999944-\$.DID. OR US-5970490-\$.DID. OR US-5737592-\$.DID. OR US-5899990-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:26
S5	10	SQL same (EJB OR (enterprise adj java adj bean)) same conver\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:29
S6	4	(database same (EJB OR (enterprise adj java adj bean)) same conver\$4).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:27
S7	32	(database same (EJB OR (enterprise adj java adj bean)))ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:33
S8	72	database and tables and XML and (((database with (translat\$3 OR conver\$5)) same class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:49
S9	40	database and tables and XML and (((database with (translat\$3 OR conver\$5)) same class) and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:54
S10	392	(generat\$3 same data\$1base same (object OR component) same java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:55
S11	203	((generat\$3 same data\$1base same (object OR component) same java)) and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:55
S12	75	((((generat\$3 same data\$1base same (object OR component) same java)) and xml) and bean	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:55
S13	61	(((((generat\$3 same data\$1base same (object OR component) same java)) and xml) and bean) and table and field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/11 16:55

S14	2	"5857197".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/12 16:55
S15	2	((java with bean) OR EJB) with SQL).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 14:42
S16	16	((java with bean) with SQL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 14:50
S17	31	bean with SQL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 14:50
S18	15	(bean with SQL) not (((java with bean) with SQL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/08 14:50
S19	12	US-5878418-\$.DID. OR US-5701461-\$.DID. OR US-5999944-\$.DID. OR US-5970490-\$.DID. OR US-5737592-\$.DID. OR US-5899990-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/14 16:42
S20	48	SQL and ((enterprise with javabean OR (java adj bean))) OR EJB) and (deployment with descriptor) and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 11:26
S21	42	(SQL and ((enterprise with javabean OR (java adj bean))) OR EJB) and (deployment with descriptor) and xml) and table and client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 11:29
S22	15	((SQL and ((enterprise with javabean OR (java adj bean))) OR EJB) and (deployment with descriptor) and xml) and table and client) and (home with interface) and (remote with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/15 11:29
S25	38	(database same (EJB OR (enterprise adj java adj bean)), same conver\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:44

S26	28	S25 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:44
S27	0	(database same conver\$4 same target same source same language) and (EJB OR (enterprise adj java adj bean))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:45
S28	60	(database same conver\$4 same target same source same language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:45
S29	16	S28 and java and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:46
S30	1079	database with (object OR EJB OR java OR (enterprise adj java)) with (translat\$4 OR transform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:47
S31	254	S30 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:47
S32	27	S31 and (enterprise with java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:04
S33	332	automated same (generat\$4 OR translat\$3 OR conver\$4) same database same object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:11
S34	56	S33 and (target with source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:05
S35	42	S34 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:05

S36	87	automated with (generat\$4 OR translat\$3 OR conver\$4) with database with object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 13:11
S37	40	("4930071" "5295256" "5418717" "5542078" "5627979" "5630131" "5652884" "5809505" "5832498" "5857191" "5857197" "5893108" "5956725" "5970490" "5999734" "6038565" "6061515" "6175837" "6374256" "6453312").PN. OR ("6591272"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 11:36
S38	5	S37 and database and tables and (target with language)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 11:37
S39	4	S38 and source	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/03 12:02
S40	1497	(source with (database language)) same (target with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:29
S41	267	S40 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:02
S42	128	S41 not intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:03
S43	79	S42 and table and descript\$4 and source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:03
S44	48	S43 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:24

S45	4	S44 and descriptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:25
S46	25	S40 and (generat\$3 with target) same java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:29
S47	14	S46 not intermediate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:37
S48	16	US-5884317-\$.DID. OR US-5499371-\$.DID. OR US-5732274-\$.DID. OR US-6226656-\$.DID. OR US-6324576-\$.DID. OR US-6167405-\$.DID. OR US-6199195-\$.DID. OR US-6256773-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:37
S49	20	S48 or "6604100".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:38
S50	3	S49 and (java JAR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 12:38
S51	217	(target near2 language) and source and database and table and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 15:55
S52	10	S51 and jar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 15:54

S53	75	S51 and bean	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 15:56
S54	46	S53 and descriptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 15:57
S55	29	S53 not S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 15:57
S56	8	(US-20020091702-\$ or US-20020095423-\$ or US-20020188616-\$ or US-20030004979-\$).did. or (US-5857197-\$ or US-6591272-\$ or US-6633889-\$ or US-6643652-\$). did.	US-PGPUB; USPAT	OR	ON	2005/10/03 16:11
S57	2	S56 and jar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 16:18
S58	251	(deployment adj descriptor) and EJB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 16:18
S59	216	S58 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 16:18
S60	208	S59 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 16:18

S61	96	S60 and generat\$3 with (target language java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 16:30
S62	0	S61 and (translat\$3 with database with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 16:30
S63	4	S61 and ((convert\$3 source translat\$3) with database with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 09:50
S64	92	((convert\$3 source translat\$3 map\$4 generat\$3) with database with EJB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 09:55
S65	66	S64 and tables	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 09:56
S66	24	S65 and jar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 09:56
S67	8	("5937409" "5991534" "6023271" "6026405" "6167453" "6237135" "6269373" "6502112").PN. OR ("6665861").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/04 10:03
S68	1	migrat\$3 with database with ejb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:31
S69	16	migrat\$3 with database with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:35

S70	67	(database with (EJB bean java)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:35
S71	14	S70 and table and (creat\$4 generat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:35